



## Safety Data Sheet dated 26/5/2022, version 3

1.1. Product identifier	
Mixture identification:	
Trade name:	ECO STAIN COVER spray
Trade code:	50.003
UFI:	4QFF-44XC-6004-GF9F
Recommended use:	of the substance or mixture and uses advised against
	usehold, industrial and professional
1.3. Details of the supplier of t	the safety data sheet
	in Alfance Concepterer EE 20149 Milana
	ia Alfonso Capecelatro, 55 20148 Milano bedale di Niguarda - Milano - Tel. 0039 02 66101029
Centro Antiveleni - Osp	euale ul migualua - miliano - 1 el. 0039 02 00101029
Competent person responsibl	e for the safety data sheet:
commerciale@arecoita	lia.it
1.4. Emergency telephone nu	
Centro Antiveleni - Osp	edale di Niguarda - Milano - Tel. 0039 02 66101029
EC regulation criteria 1272/20 Danger, Aerosols heated.	1, Extremely flammable aerosol. Pressurized container: may burst i
Adverse physicochemical, hui	man health and environmental effects:
No other hazards	
2.2. Label elements	
Hazard pictograms:	
<b>M</b>	
Danger	
Hazard statements:	
Hazard statements: H222, H229 Extremely	flammable aerosol. Pressurized container: may burst if heated.
Hazard statements: H222, H229 Extremely Precautionary statements:	
Hazard statements: H222, H229 Extremely Precautionary statements: P101 If medical advice	is needed, have product container or label at hand.
Hazard statements: H222, H229 Extremely Precautionary statements: P101 If medical advice P102 Keep out of reach	is needed, have product container or label at hand. n of children.
Hazard statements: H222, H229 Extremely Precautionary statements: P101 If medical advice P102 Keep out of reach P103 Read carefully an	is needed, have product container or label at hand.

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

50.003/3 Page n. 1 of 10



P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. Special Provisions:

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

### **SECTION 3: Composition/information on ingredients**

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 30% - < 40%	dimethyl carbonate	Index number: CAS: EC: REACH No.:	607-013-00-6 616-38-6 210-478-4 01-21195483 99-23	2.6/2 Flam. Liq. 2 H225
>= 15% - < 20%	propane	Index number: CAS: EC: REACH No.:	601-003-00-5 74-98-6 200-827-9 01-21194869 44-21	<ul> <li>2.2/1 Flam. Gas 1 H220</li> <li>2.5/L Press Gas (Liq.) H280</li> </ul>
>= 7% - < 10%	butane	Index number: CAS: EC: REACH No.:	601-004-00-0 106-97-8 203-448-7 01-21194746 91-32	<ul> <li>2.2/1 Flam. Gas 1 H220</li> <li>2.5/L Press Gas (Liq.) H280</li> </ul>
>= 7% - < 10%	xylene	Index number: CAS: EC: REACH No.:	601-022-00-9 1330-20-7 215-535-7 01-21194882 16-32	<ul> <li>2.6/3 Flam. Liq. 3 H226</li> <li>3.1/4/Dermal Acute Tox. 4 H312</li> <li>3.1/4/Inhal Acute Tox. 4 H332</li> <li>3.2/2 Skin Irrit. 2 H315</li> </ul>
>= 5% - < 7%	and isobutane	Index number: CAS: EC: REACH No.:	601-004-00-0 75-28-5 200-857-2 01-21194853 95-27	<ul> <li>◆ 2.2/1 Flam. Gas 1 H220</li> <li>◆ 2.5/L Press Gas (Liq.) H280</li> </ul>
>= 1% - < 2.5%	acetone; propan-2-one;	Index number:	606-001-00-8	📀 2.6/2 Flam. Liq. 2 H225



propanone	CAS: EC: REACH No.:	67-64-1 200-662-2 01-21194713 30-49	<ul> <li>3.3/2 Eye Irrit. 2 H319</li> <li>3.8/3 STOT SE 3 H336</li> <li>EUH066</li> </ul>
-----------	---------------------------	--	---

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
- None

4.3. Indication of any immediate medical attention and special treatment needed Treatment:

None

### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: CO2 or Dry chemical fire extinguisher. Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
    - Remove all sources of ignition.
    - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up

50.003/3 Page n. 3 of 10



Wash with plenty of water. 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working.
7.2. Conditions for safe storage, including any incompatibilities Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct

exposure to sunlight. Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Cool and adequately ventilated.

7.3. Specific end use(s) None in particular

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters propane - CAS: 74-98-6 ACGIH - Notes: (D, EX) - Asphyxia VLE short - 1000 ppm butane - CAS: 106-97-8 ACGIH - STEL: 1000 ppm - Notes: (EX) - CNS impair xylene - CAS: 1330-20-7 EU - TWA(8h): 221 mg/m3, 50 ppm - STEL: 442 mg/m3, 100 ppm - Notes: Skin ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: A4, BEI - URT and eye irr, **CNS** impair and isobutane - CAS: 75-28-5 ACGIH - STEL: 1000 ppm - Notes: (EX) - CNS impair VLE short - 1000 ppm acetone; propan-2-one; propanone - CAS: 67-64-1 EU - TWA(8h): 1210 mg/m3, 500 ppm ACGIH - TWA(8h): 250 ppm - STEL: 500 ppm - Notes: A4, BEI - URT and eye irr, **CNS** impair **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin:



No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid aspect		
	(under		
	pressure),		
	typical colour.		
Odour:	Caracteristic		
	of solvent		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	N.A.		
Flash point:	Inf. 0 ° C		
Evaporation rate:	N.A.		
Solid/gas flammability:	Extremely		
Solid/gas harmhability.	flammable		
Upper/lower flammability	N.A.		
or explosive limits:			
Vapour pressure:	a 20°C - 4,0		
	bar a		
	50°C - 8,0 bar		
Vapour density:	> of air.		
Relative density:	0,75 - 0,80		
	g/ml		
Solubility in water:	N0		
Solubility in oil:	SI		
Partition coefficient	N.A.		
(n-octanol/water):			
Auto-ignition temperature:	N.A.		
Decomposition	N.A.		
temperature:			
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		



9.2. Other information

Properties	Value	Method:	Notes:	
Miscibility:	N.A.			
Fat Solubility:	N.A.			
Conductivity:	N.A.			
Substance Groups relevant properties	N.A.			

## **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects Toxicological information of the product: COPRIMACCHIA SPRAY ECO a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation Not classified Based on available data, the classification criteria are not met c) serious eye damage/irritation Not classified Based on available data, the classification criteria are not met d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure

Not classified

50.003/3 Page n. 6 of 10



Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met j) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: xylene - CAS: 1330-20-7 LD50 (RAT) ORAL: 5000 MG/KG

acetone; propan-2-one; propanone - CAS: 67-64-1 LD50 (RABBIT) ORAL: 5300 MG/KG

### **SECTION 12: Ecological information**

- 12.1. Toxicity
- Adopt good working practices, so that the product is not released into the environment. COPRIMACCHIA SPRAY ECO
  - Not classified for environmental hazards
  - Based on available data, the classification criteria are not met
- 12.2. Persistence and degradability
  - None N.A.
- 12.3. Bioaccumulative potential
  - N.A.
- 12.4. Mobility in soil
- N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

### **SECTION 14: Transport information**

14.1. UN number	
ADR-UN number:	1950
IATA-Un number:	1950
IMDG-Un number:	1950
14.2. UN proper shipping name	
ADR-Shipping Name:	AEROSOL
IATA-Technical name:	AEROSOL
IMDG-Technical name:	AEROSOL
14.3. Transport hazard class(es)	
ADR-Class:	2 5F
ADR-Label:	-



ADR - Hazard identification nu	ımber: 1950
IATA-Class:	2.1
IATA-Label:	2.1
IMDG-Class:	2
14.4. Packing group	
ADR-Packing Group:	-
IATA-Packing group:	F-D, S-U
IMDG-Packing group:	-
14.5. Environmental hazards	
Marine pollutant:	Marine pollutant
14.6. Special precautions for user	
IATA-Passenger Aircraft:	
IATA-Cargo Aircraft:	203
IMDG-Technical name:	AEROSOL
IMDG-Page:	-
IMDG-EMS:	F-D, S-U
14.7. Transport in bulk according to	Annex II of Marpol and the IBC Code
N.A.	

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restriction 40 Restrictions related to the substances contained: **Restriction 75** Volatile Organic compounds - VOCs = 525.00 g/l Volatile CMR substances = 0.00 % Halogenated VOCs which are assigned the risk phrase R40 = 0.00 % Organic Carbon - C = 0.00Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III)



Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: P3a

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Text of phrases referred to under heading 3:

H225 Highly flammable liquid and vapour.

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazard class and hazard category	Code	Description
Flam. Gas 1	2.2/1	Flammable gas, Category 1
Aerosols 1	2.3/1	Aerosol, Category 1
Press Gas (Liq.)	2.5/L	Gases under pressure (Liquefied gas)
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aerosols 1, H222, H229	On basis of test data

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold



The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

	European Agreement concerning the International Carriage of Dangerous Goods by Road.
	Acute Toxicity Estimate
	Acute toxicity Estimate (Mixtures)
CAS: 0	Chemical Abstracts Service (division of the American Chemical Society).
CLP: (	Classification, Labeling, Packaging.
	Derived No Effect Level.
	European Inventory of Existing Commercial Chemical Substances.
	Ordinance on Hazardous Substances, Germany.
	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA: I	International Air Transport Association.
	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: I	International Civil Aviation Organization.
	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: I	International Maritime Code for Dangerous Goods.
INCI: I	International Nomenclature of Cosmetic Ingredients.
KSt: E	Explosion coefficient.
LC50: L	Lethal concentration, for 50 percent of test population.
LD50: L	Lethal dose, for 50 percent of test population.
PNEC: F	Predicted No Effect Concentration.
	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: S	Short Term Exposure limit.
	Specific Target Organ Toxicity.
	Threshold Limiting Value.
TWA: 1	Threshold Limiting Value. Time-weighted average